



# AUTOMATIC VOLTAGE REGULATOR AVR -2000

## 140÷275 V / 230V

 	<table> <tr><td>Input voltage:</td><td>140÷275 VAC</td></tr> <tr><td>Output voltage:</td><td>230 VAC</td></tr> <tr><td>Maximum Power:</td><td>2000VA</td></tr> <tr><td>Continuous Power:</td><td>1200VA</td></tr> <tr><td>Output voltage type:</td><td>Pure Sine Wave</td></tr> <tr><td>Soft start for inductive load:</td><td>YES</td></tr> <tr><td>Overload protection:</td><td>YES</td></tr> <tr><td>Short-current protection:</td><td>YES</td></tr> <tr><td>Thermal protection:</td><td>100 °C</td></tr> <tr><td>Low voltage protection:</td><td>90VAC</td></tr> <tr><td>High voltage protection:</td><td>270VAC</td></tr> <tr><td>Operating temperature range:</td><td>-10 ~ +40 °C</td></tr> <tr><td>Efficiency:</td><td>&gt; 95 %</td></tr> <tr><td>Cooling type:</td><td>Active</td></tr> <tr><td>AC IN Connectors:</td><td>Cable with plug 230VAC</td></tr> <tr><td>Output socket type:</td><td>E (French) - 2x</td></tr> <tr><td>Housing type:</td><td>Aluminium</td></tr> <tr><td>IP protection:</td><td>IP21</td></tr> <tr><td>Dimensions LxWxH [mm]:</td><td>250 x 140 x 175 [mm]</td></tr> <tr><td>Weight:</td><td>4.18 kg</td></tr> <tr><td>EAN:</td><td>5905279203068</td></tr> </table>	Input voltage:	140÷275 VAC	Output voltage:	230 VAC	Maximum Power:	2000VA	Continuous Power:	1200VA	Output voltage type:	Pure Sine Wave	Soft start for inductive load:	YES	Overload protection:	YES	Short-current protection:	YES	Thermal protection:	100 °C	Low voltage protection:	90VAC	High voltage protection:	270VAC	Operating temperature range:	-10 ~ +40 °C	Efficiency:	> 95 %	Cooling type:	Active	AC IN Connectors:	Cable with plug 230VAC	Output socket type:	E (French) - 2x	Housing type:	Aluminium	IP protection:	IP21	Dimensions LxWxH [mm]:	250 x 140 x 175 [mm]	Weight:	4.18 kg	EAN:	5905279203068
Input voltage:	140÷275 VAC																																										
Output voltage:	230 VAC																																										
Maximum Power:	2000VA																																										
Continuous Power:	1200VA																																										
Output voltage type:	Pure Sine Wave																																										
Soft start for inductive load:	YES																																										
Overload protection:	YES																																										
Short-current protection:	YES																																										
Thermal protection:	100 °C																																										
Low voltage protection:	90VAC																																										
High voltage protection:	270VAC																																										
Operating temperature range:	-10 ~ +40 °C																																										
Efficiency:	> 95 %																																										
Cooling type:	Active																																										
AC IN Connectors:	Cable with plug 230VAC																																										
Output socket type:	E (French) - 2x																																										
Housing type:	Aluminium																																										
IP protection:	IP21																																										
Dimensions LxWxH [mm]:	250 x 140 x 175 [mm]																																										
Weight:	4.18 kg																																										
EAN:	5905279203068																																										

The AVR series (Automatic Voltage Regulator) is designed to automatically maintain a constant voltage level to protect sensitive devices in case of unstable mains. Thanks to microprocessor controller, it allows quick access to detecting and regulating voltage. Equipped with time-delay function, AVR can protect connected devices from power-back surges or compressor against any consecutive starts

### Best for:

- Refrigerators, freezers, microwaves, induction motors, central heating pumps, compressors and windmills
- Drills, grinders, lawn mowers, vacuum cleaners
- Incandescent lighting, LED and fluorescent lamps
- Laptop and USB chargers, computers and monitors, TV
- Printers and cash registers



**High quality and reliability**

[www.polskieprzetwornice.pl](http://www.polskieprzetwornice.pl)



[WWW.AZODIGITAL.COM](http://WWW.AZODIGITAL.COM)  
[SALES@AZODIGITAL.COM](mailto:SALES@AZODIGITAL.COM)

